Typeset. H-87—250,000—21-6-52.

Health (1952) Department.

K&S SERIES.

G.O. No.	3546.
Dated	10. 11. 1952

[Despatch Abstract.]

Rules Revised Building Rules — Amendments

Rule 4 — Draft rules — Confirmed

HEALTH DEPARTMENT

G.O. No. 3546, 10th November 1952

Rules—Revised Building Rules—Amendments to rule 4—Draft rules—Confirmed.

READ—the following papers :—

G.O. No. 2179, P.H., dated 15th July 1942.

G.O. No. 2507, Health, dated 5th August 1952.

From the Director of Town-Planning, dated 28th October 1952, Re. No. 11385/52-A-4.

Order—No. 3546, Health, dated 10th November 1952.

In G.O. No. 2507, Health, dated the 5th August 1952, the Government ordered the publication of a draft of certain amendments to rule 4 of the Revised Building Rules, 1942, issued with G.O. No. 2179, P.H., dated the 15th July 1942, as subsequently amended. No objection or suggestion having been received, with respect to the draft amendments, the Government hereby confirm them.

2. The appended notification will be published in the *Fort St. George Gazette.*

(By order of the Governor)

S. A. SUBHAN,
Deputy Secretary to Government.

To the Superintendent, Government Press, (for publication of the notification in the *Fort St. George Gazette.*)
" Executive Authorities of all Municipalities (through the Chairmen of Municipal Councils concerned).
" Collectors of all districts.
" Director of Town-Planning.
" Inspector of Municipal Councils and Local Boards.
" Director of Public Health.
" Sanitary Engineer [through the Chief Engineer (Public Health)].
" Chief Engineer, Public Works Department (General).
" Chief Engineer (Electricity).
" Local Administration Department.
" Public Works Department.
" Legal Department.

APPENDIX.

NOTIFICATION.

In exercise of the powers conferred by sections 191 and 303 (2) (*a*) of the Madras District Municipalities Act, 1920 (Madras Act V of 1920), the Governor of Madras hereby makes the following amendments to the Revised Building Rules, 1942 (published with the late Public Health Department Notification, dated the 15th July 1942, at pages 2–16 of the Rules Supplement to Part I-A of the *Fort St. George Gazette*, dated the 4th August 1942, as subsequently amended):—

AMENDMENTS.

In the said rules—

(1) for the sub-heading "Proximityof Electric Supply Lines—Withholding of Permission" to rule 4, the sub-heading "Proximity of Conductors or Aerial lines—Withholding of Permission" shall be substituted;

(2) in rule 4

(*a*) in sub-rule (1), for the words "electric supply lines", the words "aerial lines" shall be substituted;

(*b*) in sub-rule (2)—

(i) for the words "electric lines", the words "aerial lines" shall be substituted; and

(ii) for sub-clauses (*a*), (*b*) and (*c*), the following sub-clauses shall respectively be substituted, namely:—

"(*a*) 5 feet for low-tension lines and 6 feet for high-tension lines from accessible portions of buildings measured horizontally, and 4 feet for both low-tension and high-tension lines from inaccessible portions measured horizontally;

(*b*) 8 feet from portions of buildings not accessible to persons, measured vertically; and

(*c*) 15 feet from accessible portions of buildings measured vertically."

(True copy)

R. Nagarajan 28.10.86
Superintendent
Madras Record Office.